



REVONFLOOR RV 312

Polyamide Epoxy

PRODUCT DESCRIPTION	Two pack high solid epoxy polyamide primer.	
RECOMMENDED USE	A though cosmetic primer for concrete in chemical, pharmaceutical and other industries	
CHARACTERISTICS	<ul style="list-style-type: none">• Excellent adhesives to concrete, masonry, plasters and other building material• Good abrasion resistance.• Excellent impact resistance.• Tough, smooth non porous surfaces.	
PHYSICAL DATA	Colour Gloss level Volume Solid Dry Film Thickness Number of Coat Theoretical Coverage Temperature Resistance VOC Flash Point Shelf Life Pack Size 20 Kgs unit	Available On Request matt Approx. 55% 125 microns per coat 2 – 3 4.40 sq.m/ℓ for 125 microns Maximum : 93°C (dry) 313 g/ℓ Base : 24°C Hardener : 40°C At least 12 months Base : 16 Kgs , Hardener : 4 Kgs
SURFACE PREPARATION	All surfaces to be coated should be clean, dry and free from contamination. Concrete Allow 28 days for concrete to cure. Remove surface laitance by acid etching, abrasive or scrapping, apply direct.	
APPLICATION DATA	Application Methods Brush, Roller or Spray	Recommended
SAFETY PRECAUTION	<i>Keep away from heat, spark and Open flames. Avoid breathing of vapour on skin and eye contact. Keep container closed and store in cool, ventilated area when not in use. Proper ventilation and protective measures must be provided during mixing, application and drying, to keep vapour concentration within safe limits and to protect against topic hazard.</i> <i>Necessary safety equipment must be used and ventilation requirements carefully observed, especially in confined or enclosed spaces, such as tank interior and building.</i>	
DISCLAIMER	<i>The information in this product data sheet is given to the best of our knowledge based on laboratory testing and practical experience. If the product is used under condition beyond our control, we cannot guarantee anything but the quality of the products it self. The information in this product data sheet is liable for modification from time to time in the light of experience and our policy of continuous product development, and without further notice.</i>	